

VIRTUAL MACHINE LOAD BALANCING USING CLOUD SIM IN PUBLIC CLOUD

Nitika Kadam

Assistant Prof, Department of Computer Science & Engineering
Malwa Institute of Science & Technology, Indore (M.P.)

Abstract

Load balancing in the cloud-computing environment has an important impact on the performance. Good load balancing makes cloud computing more efficient and improves user satisfaction. Load balancing with cloud computing provides a good efficient strategy to several inquiries residing inside cloud computing environment set. complete balancing must acquire straight into accounts two tasks, one will be the resource provisioning as well as resource allocation along with will be task scheduling throughout distributed System. Round robin algorithm can be via far the Easiest algorithm shown to help distribute populate among nodes. Because of this reason it is frequently the first preference when implementing a easy scheduler. One of the reasons for it being so simple is that the only information required is a list of nodes. The proposed algorithm eliminates the drawbacks of implementing a simple round robin architecture in cloud computing by introducing a concept of assigning different time slices to individual processes depending on their are priorities.

Keywords: Cloud Computing, load balancing, Virtual Machine, Round Robin, Datacenter Broker, Host, Cloudlets and Cloud Coordinator.

Introduction:

Load balancing in the cloud computing environment has an important impact on the performance. Good load balancing makes cloud computing more efficient and improves user satisfaction. This article introduces a better load balance model for the public cloud based on the cloud partitioning concept with a switch mechanism to choose different strategies for different situations. The algorithm applies the game theory to the load balancing strategy to improve the efficiency in the public cloud environment. A typical Cloud model applying CloudSim involves after four entities Datacenters, Hosts, Virtual m/c in addition application form along with system Software.

1. Datacenter: Datacenter is set of host. This can be responsible regarding managing virtual models (VMs) (e.g., VM provisioning). It behaves similar to a IaaS provider from finding requests with regard to VMs via brokers.

2. Datacenter Broker: This class represents the broker acting on behalf of a user. It modifies a couple of mechanisms: ones mechanism for submitting VM provisioning requests to be able to data centers and mechanism with regard to submitting tasks to VMs.

3. Host: Host executes actions regarding management of VMs (e.g., creation along with destruction) and update task processing to be able to VMs. a good host possesses the defined policy to provisioning memory, processing elements, and also bandwidth to virtual machines. a good host is associated for you to the data center. The idea can host virtual machines.

4. VM: This represents the software implementation of a machine that executes applications called virtual machine (VM) which functions to be a physical machine. Each virtual machine divides your own resources received by the host among tasks working from it.

5. Cloudlet: The cloudlet class can be also known as being a task. CloudSim represents your complexity of the application in relation to their computational requirements. the class is managed through the scheduling policy that will be implemented Inside Datacenter Broker Class.

Problem Domain:

In Current Scenario, with an environment of cloud the task is divided and disseminated into same size of small jobs i.e. Cloudlets. These Cloudlets as well as Virtual Machines are scheduled according to the various scheduling policy for e.g. FCFS, Round Robin etc. Generally in Cloud Computing scenario user submit the task to be performed / executed. Cloud Coordinator (CC) divides the task into equal sized cloudlets and passes it to DataCenter (DC). Normally it takes a lot of time because the cloudlets are processed one at a time in FCFS manner as and when they reach to VM. VM executes the cloudlets present in the queue as they reach the VM's. Basically this default job scheduled policy is extremely Time- Consuming, Cost insensitive and inefficient.

Aim

Our aim is implement Round Robin with Priority scheduling policy for VM using Cloudsim3.0. we will also implement combination of load balancing algorithms like Round-Robin with priority and less resources first. This synopsis aims towards the establishment of performance qualitative analysis on existing VM load balancing algorithm and then implemented in CloudSim and java language.

Objective:

In CloudSim3.0 normally overriding two classes VM Scheduler Space Shared and VM Scheduler Time shared we can implement FCFS and Round Robin scheduling policy respectively. But here we may do same thing using overriding few Classes like Datacenter, Datacenter Broker, Host, Cloudlet, Circular Host, Round Robin, V M Allocation Policy etc.

Existing System:

Cloud computing is efficient and scalable but maintaining the stability of processing so many jobs in the cloud computing environment is a very complex problem with load balancing receiving much attention for researchers. Since the job arrival pattern is not predictable and the capacities of each node in the cloud differ, for load balancing problem, workload control is. Crucial to improve system performance and maintain stability. Load balancing schemes depending on whether the system dynamics are important can be either static or dynamic. Static schemes do not use the system information and are less complex while dynamic schemes will bring additional costs for the system but can change as the system status changes. A dynamic scheme is used here for its flexibility.

There are three types of VM Load Balancer that is Round Robin, Throttled and active monitoring load balancing algorithms.

CLOUDSIM

CloudSim is the many efficient tool you can use with regard to modeling regarding Cloud. during your current lifecycle of an Cloud, CloudSim allows VMs for you to be managed coming from hosts that will inside turn are usually managed by datacenters.




Fig. CloudSim Architecture

CloudSim offers architecture inside four uncomplicated entities. these types of entities offer consumer to set-up the basic cloud computing environment as well as measure your effectiveness involving fill up Balancing algorithms.. Datacenters entity features the responsibility of providing Infrastructure level solutions for the Cloud Users. They act as a home to help a lot of Host Entities or maybe a lot of instances hosts’ entities aggregate to help application form the solitary Datacenter entity. Hosts with Cloud are usually Physical Servers The idea have pre-configured processing capabilities. Host is actually responsible regarding providing Software level SERVICE towards Cloud Users. Hosts have their particular storage and memory. Processing features regarding hosts is usually expressed throughout MIPS (million instructions per second).

Proposed System:

We will implement combination of load balancing algorithms like Round-Robin with priority and fewer resources first. And will produce better result with existing system because in round robin algorithm not consider priority factor or less resources first at the time of load balancing And also compare proposed algorithm with existing load balancing algorithm like FCFS, Round Robin and central queue .

Cloud lets	Sta tus	Datace nter	V M	FCFS (time)	Round-Robin	Round-Robin with Less Resource First *propose
Task1						
Task2						
Task3						
Task4						
Task5						

Parameters

- User
- Cloudlet
- Datacenter
- Virtual Machine Manager or VM Manager (VMM)

- VMM creates the VM on the basis of resources
- Virtual Machine (VM)
- Resource Provisional (RsP)
- Resource Provider or Resource Owner (RP)
-

Result Analysis:


Proposed system implemented in NetBeans using advanced JAVA. Cloud simulator is simulated for simulation with different configuration. Before simulation we configure many parameters like number of datacenters, number of cloudlets, VM configuration, bandwidth and MIPS. Round Robin and Modified Round Robin evolution with following configuration which show in below.

Simulation Parameters	
Parameters	Values
Number of users	4
Number of VMs	5
Number of Cloudlets	30

VM Details	
Parameters	Values
Name of VM	Xen-VM
RAM	512
MIPS	250
BW	1000

Cloudlets Details	
Parameters	Values
Cloudlets Length	40000
File Size	300
Output Size	300
PES	1

Datacenter Details	
Parameters	Values
Number of Datacenters	2
MIPS	1000
RAM	16384
Storage	1000000



◀ VM Broker DataCenter

Number of DataCenter	2
MIPS	1000
RAM	16384
Storage	1000000
BW	1000

Main Cloudlets VM Broker ▶

VM Name	Xen
Size	10000
RAM	512
Pes number	1
Mips	250
BW	1000

Main Cloudlets VM Broker ▶

Length	40000
File Size	300
Output Size	300
Pes number	1




Figure : Configuration Details of Cloud-Sim Simulator

5.2 Result Evaluation:

We apply Round Robin algorithm on above configuration with the help of cloud-sim simulator. In below show that execution cloudlets, amount of time needed for execution, it is also showing that which cloudlets assign on which datacenter and virtual machine. Response time of each cloudlets is calculate and shown in diagram.

CONCLUSION

Cloud Computing along with research challenges in load balancing. It also focus on merits and demerits of the cloud computing. Major thrust is given on the study of load balancing algorithm, followed by a comparative survey of these above mentioned algorithms in cloud computing with respect to stability, resource utilization, static or dynamicity, cooperative or non-cooperativeness and process migration.

REFERENCES:

- [1] Kaur s and Supriya Kinger², “Analysis of Load Balancing Techniques in Cloud Computing”, *International Journal of Computers & Technology*, volume 4, No. 2, March-April 2013, pg 737- 741.
- [2]. Poojaand Mishra², “Analysis of Variants in Round Robin Algorithms for Load Balancing in Cloud Computing”, *(IJCSIT) International Journals of Computer Science and Information Technologies*, Volume 4 (3), 2013, pg. no. 416- 419.
- [3]. Kunal Mahurkar¹, Shraddha Katore² and Suraj Bhaisade³, Pratikawale⁴, “Reducing Cost of Provisioning in Cloud Computing”, *International Journal of Advance in Computer Science and Cloud Computing*, Volume- 1, Issue- 2, nov.- 2013, pg. 6- 8.
- [4]. Dr. Rakesh Rathi¹, Vaishali Sharma² and Sumit Kumar Bole³, “Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst” , *International Journal of Computer & Technology*, Volume 4 no. 2, March- April 2013, pg. no. 254- 260.
- [5]. Bhatiya Wickremansinghe¹, Rodrigo N. Calheiros²and Dr. Rajkumar Buyya³, “CloudAnalyst: A CloudSim- based VisulModeller for Analysing Cloud Computing Environments and Applications”, *IEEE Computer Society*, 2010, pp. 446-452.

- [6]. Pooja Samal¹ and Pranati Mishra², “Analysis of Variants in Round Robin Algorithms for Load Balancing in Cloud Computing”, *(IJCSIT) International Journals of Computer Science and Information Technologies*, Volume 4 (3), 2013, pg. no. 416- 419.
- [7]. Kunal Mahurkar¹, Shraddha Katore² and Suraj Bhaisade³, Pratikawale⁴, “Reducing Cost of Provisioning in Cloud Computing”, *International Journal of Advance in Computer Science and Cloud Computing*, Volume- 1, Issue- 2, nov.- 2013, pg. 6- 8.
- [8]. Dr. Rakesh Rathi¹, Vaishali Sharma² and Sumit Kumar Bole³, “Round Robin Data Center Selection in Single Region for Service Proximity Service Broker in Cloud Analyst” , *International Journal of Computer & Technology*, Volume 4 no. 2, March- April 2013, pg. no. 254- 260.
- [9]. Bhatiya Wickremasinghe¹, Rodrigo N. Calheiros² and Dr. Rajkumar Buyya³, “CloudAnalyst: A CloudSim- based VisualModeller for Analysing Cloud Computing Environments and Applications”, *IEEE Computer Society*, 2010, pp. 446-452.
- [10]. Jaspreet Kaur, “Comparison of load balancing algorithm in a Cloud”, *International Journal of Engineering Research and Applications (IJERA)*, vol. 2, Issue 3, May- June 2012, pp. 1169- 1173.
- [12]. Syed Tauhid Zuheri¹, Tamanna Shamrin² and Rusia Tanbin³, Firoj Mahmud⁴, “An Efficient Load Balancing Approach in Cloud Environment by using Round Robin Algorithm”, *International Journal of Artificial and Mechatronics*, volume 1, issue 5, 2013, pp 96-99.
- [13]. B. Santosh Kumar¹ and Dr. Latha Parthiban², “An Implementation of Load Balancing Policy for Virtual Machines Associated with a Data Centre”, *International Journal of Computer Science & Engineering Technology (IJCSSET)*, volume 5 no. 03, March 2014, pp. 253- 261.
- [14]. Sonika Matele¹, Dr, K James² and Navneet Singh³, “A Study of Load Balancing Issue Among Multifarious Issues of Cloud Computing Environment”, *International Journals of Emerging Technolog Computational and Applied Science (IJETCAS)*, volume 13- 142, 2013, pg. 236- 241.
- [10]. Subasish Mohapatra¹, Subhadarshini² and K. Smruti Rekha³, “Analysis of Different Variants in Round Robin Algorithms for Load Balancing in Cloud Computing”, *International Journal of Computer Application*, Volume 69- no. 22, may 2013, pp. 17-21.
- [15]. DrHemant S. Mahalle¹, Prof Parag R. Kaver² and Dr. Vinay Chavan³, “Load Balancing on Cloud Data Centres”, *Internatinal Journal of Advanced Reserch in Computer Science and Software Engineering*, volume 3, issue 1, January 2013, pp. 1- 4.
- [16]. Randles¹, M Lamb² and Taleb Bendiab³, “A Comparative Study into Distributed Load Balancing Algorithm for Cloud Computing”, *Advanced Information Networking and Application Workshop (WAINA) 2010*.